




Entrada esquina / Corner entry / Accès d'angle / Entrada em canto / Entrata di angolo




Cristal templado
Tempered glass
Verre trempé
Vidro temperado
Vetro temperato



100% reversible
100% reversible
Réversible à 100%
100% reversível
100% reversibile



Cristal transparente
Transparent glass
Verre transparent
Vidro transparente
Vetro trasparente




Serigrafia
Wide silk stripes
Sérigraphie
Serigrafia
Serigrafia



Perfiles en aluminio cromado brillo
Shine chromed aluminum profiles
Profils en aluminium chromé brillant
Perfis em alumínio cromado brilho
Profili in alluminio cromato luminosità




Asa latón cromado
Chromed brass handles
Poignées en laiton chromé
Asa de latão cromado
Asa ottone cromato



Rodamientos dobles con sistema fácil limpieza
Double sealed bearings with easy cleaning system
Doubles roulements scellés avec système de nettoyage facile
Rolamentos dobro com sistema de limpeza fácil
Doppi cuscinetti con un facile sistema di pulizia




Opcional / Optional / Optionel / Opcional / Opzionale



sanysize
MPACC005

Perfiles de extensión 3,5 cm
Extension profiles 3,5 cm
Profils d'extension 3,5 cm
Perfis de extensão 3,5 cm
Profili di prolunga 3,5 cm



dim.cm	ref.	A	B	C	P kg	P' kg	V cmxcmxcm
90x70	MP5019070	87-89	67-69	36	43	46	202x52x11
100x70	MP50110070	97-99	67-69	44	45	48	202x57x11
120x70	MP50112070	117-119	67-69	46	51	54	202x67x11
120x80	MP50112080	117-119	77-79	46	53	56	202x67x11

P: Peso neto / Net weight / Poids net / Peso líquido / Peso netto

P': Peso de expedición Expedition Weight / Poids d'expédition / Peso do expedição / Peso spedizione

V: Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione



Frontal deslizante / Sliding door / Frontale coulissante / Frontal deslizante / Scorrevole anteriore




Cristal templado
Tempered glass
Verre trempé
Vidro temperado
Vetro temperato



100% reversible
100% reversible
Réversible à 100%
100% reversível
100% reversibile



Cristal transparente
Transparent glass
Verre transparent
Vidro transparente
Vetro trasparente



Serigrafia
Wide silk stripes
Sérigraphie
Serigrafia
Serigrafia



Perfiles en aluminio cromado brillo
Shine chromed aluminum profiles
Profils en aluminium chromé brillant
Perfis em alumínio cromado brilho
Profili in alluminio cromato luminosità




Asa latón cromado
Chromed brass handles
Poignées en laiton chromé
Asa de latão cromado
Asa ottone cromato




Rodamientos dobles con sistema fácil limpieza
Double sealed bearings with easy cleaning system
Doubles roulements scellés avec système de nettoyage facile
Rolamentos dobro com sistema de limpeza fácil
Doppi cuscinetti con un facile sistema di pulizia



Opcional / Optional / Optionel / Opcional / Opzionale



sanysize
MPACC005
Perfiles de extensión 3,5 cm
Extension profiles 3,5 cm
Profils d'extension 3,5 cm
Perfis de extensão 3,5 cm
Profili di prolunga 3,5 cm



dim.cm	ref.	A	C	P kg	P' kg	V cmxcmxcm
100	MP503100	96-100	37	32	35	202x56x11
120	MP503120	116-120	46	34	37	202x66x11
140	MP503140	136-140	56	36	39	202x76x11

P: Peso neto / Net weight / Poids net / Peso líquido / Peso netto

P': Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione


V: Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione



Lateral fijo / Side panel / Paroi laterale fixe / Lateral fixo / Laterale fisso




Cristal templado
Tempered glass
Verre trempé
Vidro temperado
Vetro temperato



100% reversible
100% reversible
Réversible à 100%
100% reversível
100% reversibile



Cristal transparente
Transparent glass
Verre transparent
Vidro transparente
Vetro transparente




Serigrafia
Wide silk stripes
Sérigraphie
Serigrafia
Serigrafia




Perfiles en aluminio cromado brillo
Shine chromed aluminum profiles
Profils en aluminium chromé brillant
Perfis em alumínio cromado brilho
Profili in alluminio cromato luminosità



Opcional / Optional / Optionel / Opcional / Opzionale



sanysize
MPACC005
Perfiles de extensión 3,5 cm
Extension profiles 3,5 cm
Profils d'extension 3,5 cm
Perfis de extensão 3,5 cm
Profili di prolunga 3,5 cm




dim.cm	ref.	A	P kg	P' kg	V cmxcmxcm
70	MP50470	67-69	19	22	202x74x6
80	MP50480	77-79	21	24	202x84x6
90	MP50490	87-89	23	26	202x94x6

P: Peso neto / Net weight / Poids net / Peso líquido / Peso netto

P': Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione

V: Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione




Walk in a pared / Walk in to wall / Walk in un mur / Walk in a parete / Walk in a muro




Cristal templado
Tempered glass
Verre trempé
Vidro temperado
Vetro temperato



sanyclean
Tratamiento anti-cal
Anti limescale treatment
Traitement anti-calcaire
Tratamento anti calcário
Trattamento anti calcare



100% reversible
100% reversible
Réversible à 100%
100% reversível
100% reversibile



Serigrafía
Wide silk stripes
Sérigraphie
Serigrafia
Serigrafia




Cristal transparente
Transparent glass
Verre transparent
Vidro transparente
Vetro trasparente



Perfiles en aluminio cromado brillo
Shine chromed aluminum profiles
Profils en aluminium chromé brillant
Perfis em alumínio cromado brilho
Profili in alluminio cromato luminosità



Incluye barra de fijación
Fixing bar included
Inclut barre de fixation
Ele inclui lockarm
Esso comprende lockarm



dim.cm	ref.	A	P kg	P' kg	V cmxcmxcm
70	MP50570	69-70	22	25	204x76,5x6,5
80	MP50580	79-80	25	28	204x86,5x6,5
90	MP50590	89-90	28	31	204x96,5x6,5
100	MP505100	99-100	31	34	204x106,5x6,5
120	MP505120	119-120	37	40	204x126,5x6,5

P: Peso neto / Net weight / Poids net / Peso líquido / Peso netto

P': Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione


V: Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione



Walk in a pared / Walk in to wall / Walk in un mur / Walk in a parete / Walk in a muro



Cristal templado
Tempered glass
Verre trempé
Vidro temperado
Vetro temperato



100% reversible
100% reversible
Réversible à 100%
100% reversível
100% reversibile



Cristal transparente
Transparent glass
Verre transparent
Vidro transparente
Vetro trasparente




Sistema up & down
Up & down system
Up & down système
Sistema up & down
Sistema up & down



sanyclean


Tratamiento anti-cal
Anti limescale treatment
Traitement anti-calcaire
Tratamento anti calcário
Trattamento anti calcare



Serigrafía
Wide silk stripes
Sérigraphie
Serigrafia
Serigrafia



Perfiles en aluminio cromado brillo
Shine chromed aluminum profiles
Profils en aluminium chromé brillant
Perfis em alumínio cromado brilho
Profili in alluminio cromato luminosità



cm

dim.cm	ref.	A	P kg	P' kg	V cmxcmxcm
30	MP50530P	-	9	12	204x35,5x6

P: Peso neto / Net weight / Poids net / Peso líquido / Peso netto

P': Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição /
Peso spedizione

V: Volumen de expedición / Expedition Volume / Volume d'expédition /
Volume do expedição / Volume spedizione